



The Refrigeration Company

# PRODUCT CATALOGUE

Commercial Refrigeration Solutions



[www.rockwell.co.in](http://www.rockwell.co.in)



**PIONEERING A GREENER TOMORROW**

PROGRESSIVE | PROFITABLE | PARTNERSHIP

# ROCKWELL RANGE OF PRODUCTS

## India's No.1 Freezer Convertible Green Freezer



GFR250SDUC  
GFR350SD/DDUC  
GFR450DDUC



GFR550DDUC  
GFR550UCSS  
GFR910UC | GFR1210UC




10 YEARS WARRANTY  
ON COOLING COIL



90MM PUF  
INSULATION



POWER SAVING



100% COPPER  
COOLING COIL



EXCELLENT  
STAR RATED



\* Cooling Coil warranty applicable for Evaporator/Cooling Coil Leak. Normal wear & tear or physical damage not covered in warranty.

Suitable for Domestic & Commercial use  
Enhanced FRESHNESS

2 IN 1

CONVERTIBLE  
Freezer / Cooler



SFR110NU  
SFR150SD  
SFR250SD



SFR350SD /DD  
SFR450DD  
SFR550DD



JUMBO Cooling,  
JUMBO Capacity



D+ cooling pipes  
More surface contact and large  
heat exchange area



4 Years Warranty

### Green Curved Glass Freezer with LED



GFR250ICGT  
GFR350ICGT  
GFR450ICGT  
GFR550ICGT

90MM Insulation  
Upto 53% power saving



Clearviu™ Technology  
Stronger Low 'E' glass with  
Clearviu technology ensuring  
least condensation



Better Heat Transfer  
3 Side air circulation for  
better heat transfer



### Flat Glass Top Freezer



SFR250GT/LED  
SFR350GT/LED  
SFR450GT/LED  
SFR550GT/LED

JUMBO  
Jumbo Cooling, Jumbo Capacity  
Approx. 15% higher storage capacity



Toughened Low-E Glass  
Good product visibility is ensured  
by reduced heat radiation.



High density eco-friendly PUF  
Ensures temperatures remain even  
and reduce energy consumption



INTRODUCING  
SMART EUTECTIC FREEZER

UPTO 24 HOURS TEMPERATURE HOLDOVER



No Power  
No Problem



GFR250ET  
GFR350DDET



GFR450DDET  
GFR550DDET

### BEVERAGE CHILLER



IC220SD | IC510SD  
IC510DD | IC777 | IC888

### COMBI FREEZER / COOLER



COMBI300 | COMBI400



**PERFECT FOR**  
SCHOOLS, COLLEGES, RESTAURANTS,  
HOTELS, OFFICES & MORE...

**WATER COOLER / DISPENSER**



Copper Cooling Coil



Sturdy Design & Long Life



Full Stainless Steel



RWCSS2040  
RWCSS4080  
RWCSS60120  
RWCSS150150



XTRA PURE MINI  
XTRA PURE R  
XTRA PURE N

**MINI BAR COOLER**



MB50

**VISI COOLER**



RVC50A  
RVC300A/B  
RVC390B



RVC400A  
RVC500A  
RVC550B  
RVC700B



RVC580A  
RVC950  
RVC1100A/B/C  
RVC1250A

**VISI FREEZER**



VF50



VF500



VF1100



-  Adjustable shelves
-  Sturdy design
-  Clear product visibility with reflective glass
-  Self closing door with locking facility
-  Uniform cooling



**The choice of International Chef's**

**PROFESSIONAL KITCHEN REFRIGERATION**







RGN1450C4D  
RGN1450F4D  
RGN650C2D  
RGN650F2D

RGN2100C  
RGN2100F  
RGN3100C  
RGN3100F

RICM16BW  
RICM40BW  
RICM60BW  
RICM100

BB220  
BB340



**The Green Box**  
SIMPLY EFFICIENT & SMART  
A division of Rockwell Industries Ltd.  
Since 1886



**WALK-IN COLD ROOMS**  
Contact: 9392180079  
Email: salessupport.thegreenbox@rockwell.co.in

**KEY FEATURES**



Cleanable & Replaceable Door Gaskets



Automatic Closing Doors.



100% Copper Evaporator



Rounded Corners For Easy Cleaning



Advanced Electronic Controller



Efficient Cooling

**CONFECTIONERY SHOWCASE**

*A high performing, user-friendly cake display cabinet, designed with contemporary silhouette that offers optimum product presentation.*




RCS4L3







RCS4L4 | RCS4L5




-  Internal LED lighting
-  Multi-paned heated glass
-  Glass display shelves
-  Digital controller with temperature display
-  Automatic de-frost




-  **LOW TEMPERATURE FREEZER**  
-15° C to -40° C
-  **ICE LINED REFRIGERATOR**  
+2° C to +8° C
-  **MEDICAL FREEZER**  
-15° C to -25° C
-  **PHARMACY REFRIGERATOR / FREEZER**  
-18° C to -22° C


**MEDICAL REFRIGERATION SOLUTIONS**




Tropicalised Machine  
+40°C




4D Uniform Cooling




High Precision temperature control ± 1°C







Ergonomic Design  
• Door lock for service water  
• Stainless steel interior and corrosion proof



Temperature Control  
• Digital temperature display  
• Adjustable control range



Environmental Friendly Refrigerant  
CFC - free high density foam insulation  
High energy efficiency

# Technical Specification

Model	Capacity Ltrs.	No. of Baskets	Dimensions (HxWxD)mm	Doors	Temperature Range	Insulation	Refrigerant	Voltage						
GFR250SDUC	209	1	900x850x735	1	-23°C to +8°C	90mm High Density PUF CFC FREE	R134a	Single Phase 190-254V, AC, 50Hz	GREEN FREEZER					
GFR350SD/DDUC	315	1	900x1145x735	1/2										
GFR450DDUC	416	1	900x1425x735	2										
GFR550DDUC	523	1	900x1720x735	2										
GFR910UC	805	0	960x1848x857	3	-30° C to +8°C	90mm High Density PUF CFC FREE	R290	Single Phase 190-254V, AC, 50Hz	GREEN SS & LARGE FREEZER					
GFR1210UC	1060	0	960x2354x857	3										
GFR350SDUCSS	315	1	900x1145x735	1										
GFR550DDUCSS	523	1	900x1720x735	2										
GFR250ET	209	1	900x850x735	1	-23° C to -18°C	90mm High Density PUF CFC FREE	R134a	Single Phase 190-254V, AC, 50Hz	EUTECTIC FREEZER					
GFR350ET/DDET	315	1	900x1145x735	1/2										
GFR450ET	416	1	900x1425x735	1										
GFR550ET	523	1	900x1720x735	2										
SFR70	70	1	848x517x533	1	-23° C to +8°C	60mm High Density PUF CFC FREE	R134a/R290	Single Phase 190-254V, AC, 50Hz	HARD / GLASS TOP FREEZER					
SFR110SDU	101	1	845x515x550	1										
SFR250SDU	236	1	930x832x666	1										
SFR350SDU	346	1	930x1120x666	1										
SFR350DDU	346	1	930x1120x666	2	-23° C to -18°C	60mm High Density PUF CFC FREE	R134a/R290	Single Phase 190-254V, AC, 50Hz	HARD / GLASS TOP FREEZER					
SFR450DDU	453	1	930x1402x666	2										
SFR550DDU	563	1	930x1692x666	2										
SFR250GT	236	1	885x832x624	Sliding										
SFR350GT	346	2	885x1120x624	Sliding	-23° C to -18°C	60mm High Density PUF CFC FREE	R134a/R290	Single Phase 190-254V, AC, 50Hz	HARD / GLASS TOP FREEZER					
SFR450GT	453	2	885x1402x624	Sliding										
SFR550GT	563	4	885x1692x624	Sliding										
IC777	453		940x1402x666	2										
IC888	563		940x1692x666	2	+2° C to +8°C	60mm High Density PUF CFC FREE	R134a	Single Phase 190-254V, AC, 50Hz	CHEST COOLER					
COMBI300B	287		866X1200X602	2	-20° C to +10°C	70mm High Density PUF CFC FREE	R600a	Single Phase 190-254V, AC, 50Hz	COMBI FREEZER					
COMBI400B	371		924x1309x692	2										
RVC50A	45		733x400x415	1	+2° C to +10°C	High Density PUF	R134a	Single Phase 190-254V, AC, 50Hz	VISI COOLER / FREEZER					
RVC300B	285		1454x576x650	1										
RVC390B	358		1724x576x650	1										
RVC550B	448		2055x576x650	1										
RVC580A	420		1865x900x630	2										
RVC700B	595		2063x739x650	1										
RVC1100B	947		2031x1027x773	2										
RVC320A	220		1676X556X530	1										
RVC400A	310		1727X660X665	1										
RVC500A	370		1995X650C650	1										
RVC950C	778		2020X1050X640	2										
RVC1100C	956		2020X1050X730	2										
VF50	45		733x400x415	1						-22° C to -18°C	High Density PUF	R134a	Single Phase 190-254V, AC, 50Hz	VISI COOLER / FREEZER
VF500	372		2057x640x668	1										
VF1100	1000		2036x1200x730	2										
RGN650C2D	650		2010x740x830	2	-2° C to +10°C	58mm High Density PUF	R290	Single Phase 190-254V, AC, 50Hz	KITCHEN REFRIGERATION					
RGN650F2D	650		2010x740x830	2										
RGN1450C4D	1300		2010x1480x830	4										
RGN1450F4D	1300		2010x1480x830	4										
RGN2100C	282		850x1360x700	2										
RGN2100F	282		850x1360x700	2										
RGN3100C	417		850x1795x700	3										
RGN3100F	417		850x1795x700	3										
RICM40BW	40		890x500x450		Sub-0					High Density PUF	R290	Single Phase 190-254V, AC, 50Hz	KITCHEN REFRIGERATION	
RICM60BW	60		890x500x590											
RICM100	100		920x660x685											
RICM235	235		1718x760x860											
BB220	198		850x900x520	2	+2° C to +10° C	40mm High Density PUF	R600a	Single Phase 190-254V, AC, 50Hz	MINI BACK BAR COOLER					
BB340	320		850x1350x520	3	-10° C to +2° C	High Density PUF	R600a	Single Phase 190-254V, AC, 50Hz	MINI BACK BAR COOLER					
MB50	48		525x455x460	1										
MB100	91		825x455x510	1	15° C to 35° C	High Density PUF	R134a	Single Phase 190-254V, AC, 50Hz	WATER COOLER					
RWCSS2040	20		1219X460X406											
RWCSS4080	80		1219X482X660											
RWCSS60120	120		1219X762X584											
RWCSS150150	150		1270X736X559		5° C to 8.5° C	High Density PUF	R134a	Single Phase 190-254V, AC, 50Hz	WATER DISPENSER					
XTRA PURE MINI	3.7 Ltr/Hr		530x315x350											
XTRA PURE R	3.7 Ltr/Hr		1010x315x350											
XTRA PURE N	3.7 Ltr/Hr		1010x315x350		-15° C to -25°C	90mm High Density PUF CFC FREE	R134a	Single Phase 190-254V, AC, 50Hz	MEDICAL REFRIGERATION					
MFR150	110	4	1005x630x585	1										
MFR250	211	8	940x850x735	1										
MFR350	311	11	940x1145x735	1										
MFR450	411	14	940x1425x735	2	-18° C to -40°C	90mm High Density PUF CFC FREE	R404a	Single Phase 190-254V, AC, 50Hz	MEDICAL REFRIGERATION					
MFR550	516	20	940x1720x735	2										
LT250	209	1	900x850x735	1										
LT350	315	1	900x1145x735	1										
LT450	416	1	900x1425x735	2	+2° C to +8°C	High Density PUF	R134a	Single Phase 190-254V, AC, 50Hz	MEDICAL REFRIGERATION					
LT550	523	1	900x1720x735	2										
ILR150	110	4	1005x627x583	1										
ILR250	206	8	940x850x735	1										
ILR350	311	11	940x1145x735	2	90mm High Density PUF CFC FREE	R134a	R134a	Single Phase 190-254V, AC, 50Hz	MEDICAL REFRIGERATION					
ILR450	411	14	940x1425x735	2										
ILR550	516	20	940x1720x735	2										
RCS4L3	360		1200X900X665							2° C to +10°C	R134a	R134a	Single Phase 190-254V, AC, 50Hz	CONFECTIONERY SHOWCASE
RCS4L4	500		1200X1200X665	2										
RCS4L5	660		1200X1500X665	2										

NOTE :- 1. All specifications are under standard test conditions  
2. Technical specifications are subject to changes without notice in view of continuous R & D.

## Rockwell Industries Limited.

Corporate Office: 3rd Floor, Tejaswi Plaza, Panjagutta, Hyd - 82, Ph: 040-23414830  
Sales & Mktg. Office: 2nd Floor, Urja Heights, Begumpet, Hyd -16, Ph: 040-35172234  
Email: [sales@rockwell.co.in](mailto:sales@rockwell.co.in) Email: [service@rockwell.co.in](mailto:service@rockwell.co.in)  
Delhi Branch Office: 102, 1st Floor, DLF Tower-A, Jasola District Centre, New Delhi - 110025.

Customer Care: 7396082323|18602082323

Easy Consumer Finance\*\*

